Pain 133 (2007) 229–230

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 133 (2007)

Aisiku, I.P., see Citero, V.A., **133** 39
Alix, M., see Morello, R., **133** 87
Amris, K., see de C. Williams, A.C., **133** 5
Arntz, A., see Moseley, G. L., **133** 64
Aronson, D., see Granot, M., **133** 120
Azzam, Z.S., see Granot, M., **133** 120

Barthold, C.M., see Jimenez-Andrade, J.M., **133** 183
Baumeister, S.E., see Schmidt, C.O., **133** 174
Bausch, C., see Conrad, R., **133** 197
Berger, G., see Granot, M., **133** 120
Bilbao, A., see Suardíaz, M., **133** 99
Birklein, F., see Krämer, H.H., **133** 72
Blackbeard, J., see Wallace, V.C.J., **133** 47
Blackshaw, L. A., see Page, A.J., **133** 150
Blake, D.R., see Lewis, J.S., **133** 111
Boatwright, B.A., see Weisberg, J.N., **133** 1
Bovbjerg, V.E., see Citero, V.A., **133** 39
Braun, E., Aronson, D., Azzam, Z.S.Granot, M., Khoury, R., Berger, G., Krivoy, N., Clinical and experimental pain perception is attenuated in patients with painless myocardial infarction, **133** 120
Braun, E., see Granot, M., **133** 120
Brierley, S.M., see Page, A.J., **133** 150
Buus, R.J., see Jimenez-Andrade, J.M., **133** 183

Chessell, I.P., see Martindale, J.C., **133** 79
Chung, J.M., see Lee, I., **133** 9
Chung, K., see Lee, I., **133** 9
Citero, V.A., Levenson, J.L., McClish, D.K., Bovbjerg, V.E., Cole, P.L., Dahman, B.A., Penberthy, L.T., Aisiku, I.P., Roseff, S.D., Smith, W.R., The role of catastrophizing in sickle cell disease – The PiSCES project, **133** 39
Cohen, L.L., see Pillai Riddell, R.R., **133** 138
Cole, P.L., see Citero, V.A., **133** 39
Conrad, R., Schilling, G., Bausch, C., Nadstawek, J., Wartenberg, H.C., Wegener, I., Geiser, F., Imbierowicz, K., Liedtke, R., Temperament and character personality profiles and personality disorders in chronic pain patients, **133** 197

Dahman, B.A., see Citero, V.A., **133** 39
Davies, M., see Wallace, V.C.J., **133** 47
de C. Williams, A.C., Amris, K., Pain from torture, **133** 5
Dobalian, A., see Tsao, J.C.I., **133** 128
Duarte, A.M., see Mujenda, F.H., **133** 161
Duggan, A.W., see Vikman, K.S., **133** 18

Elam, M., see Krämer, H.H., **133** 72
Estivill-Torrús, G., see Suardíaz, M., **133** 99

Fermanian, J., see Morello, R., **133** 87
Fink, D.J., see Wolfe, D., **133** 29
Flora, D.B., see Pillai Riddell, R.R., **133** 138
Freeman, K.T., see Jimenez-Andrade, J.M., **133** 183

Geiser, F., see Conrad, R., **133** 197
Ghilardi, J.R., see Jimenez-Andrade, J.M., **133** 183
Glorioso, J.C., see Wolfe, D., **133** 29
Goicoechea, C., see Suardíaz, M., **133** 99
Goss, J., see Wolfe, D., **133** 29
Greenberg, S., see Pillai Riddell, R.R., **133** 138

Haines, D., see Nurmikko, T.J., **133** 210
Hall, S., see Wallace, V.C.J., **133** 47
Halvorson, K.G., see Jimenez-Andrade, J.M., **133** 183
Hao, S., see Wolfe, D., **133** 29
Hasnie, F., see Wallace, V.C.J., **133** 47
Headley, P.M., see Martindale, J.C., **133** 79
Hemmeter, U., see Kunz, M., **133** 221
Hoggart, B., see Nurmikko, T.J., **133** 210
Hu, J., see Wolfe, D., **133** 29
Hughes, P.A., see Page, A.J., **133** 150

Imbierowicz, K., see Conrad, R., **133** 197

Jean, A., see Morello, R., **133** 87
Jimenez-Andrade, J.M., Martin, C.D., Koewler, N.J., Freeman, K.T., Sullivan, L.J., Halvorson, K.G., Barthold, C.M., Peters, C.M., Buus, R.J., Ghilardi, J.R., Lewis, J.L., Kuskowski, M.A., Mantyh, P.W., Nerve growth factor sequestering therapy attenuates non-malignant skeletal pain following fracture, **133** 183

Karlsson, T., see Krämer, H.H., **133** 72
Kersten, P., see Lewis, J.S., **133** 111
Khoury, R., see Granot, M., **133** 120
Kim, H.K., see Lee, I., **133** 9
Kim, J.H., see Lee, I., **133** 9
Koewler, N.J., see Jimenez-Andrade, J.M., **133** 183
Krämer, H.H., Lundblad, L., Birklein, F., Linde, M., Karlsson, T., Elam, M., Olausson, H., Activation of the cortical pain network by soft tactile stimulation after injection of sumatriptan, **133** 72
Krivoy, N., see Granot, M., **133** 120
Kunz, M., Scharmann, S., Hemmeter, U., Schepelmann, K., Lautenbacher, S., The facial expression of pain in patients with dementia, **133** 221
Kuskowski, M.A., see Jimenez-Andrade, J.M., **133** 183

Lautenbacher, S., see Kunz, M., **133** 221
Lee, I., Kim, H.K., Kim, J.H., Chung, K., Chung, J.M., The role of

doi:10.1016/S0304-3959(07)00669-0

reactive oxygen species in capsaicin-induced mechanical hyperalgesia and in the activities of dorsal horn neurons, **133** 9
Levenson, J.L., see Citero, V.A., **133** 39
Lewis, J.L., see Jimenez-Andrade, J.M., **133** 183
Lewis, J.S., Kersten, P., McCabe, C.S., McPherson, K.M., Blake, D.R., Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133** 111
Liedtke, R., see Conrad, R., **133** 197
Linde, M., see Krämer, H.H., **133** 72
Lundblad, L., see Krämer, H.H., **133** 72

Mantyh, P.W., see Jimenez-Andrade, J.M., **133** 183
Martin, C.D., see Jimenez-Andrade, J.M., **133** 183
Martin, C.M., see Page, A.J., **133** 150
Martindale, J.C., Wilson, A.W., Reeve, A.J., Chessell, I.P., Headley, P.M., Chronic secondary hypersensitivity of dorsal horn neurones following inflammation of the knee joint, **133** 79
Mata, M., see Wolfe, D., **133** 29
McCabe, C.S., see Lewis, J.S., **133** 111
McClish, D.K., see Citero, V.A., **133** 39
McMahon, S.B., see Wallace, V.C.J., **133** 47
McPherson, K.M., see Lewis, J.S., **133** 111
Morello, R., Jean, A., Alix, M., Sellin-Peres, D., Fermanian, J., A scale to measure pain in non-verbally communicating older patients: The EPCA-2. Study of its psychometric properties, **133** 87
Morlion, B.J., see Nurmikko, T.J., **133** 210
Moseley, G. L., Arntz, A., The context of a noxious stimulus affects the pain it evokes, **133** 64
Mujenda, F.H., Duarte, A.M., Reilly, E.K., Strichartz, G.R., Cutaneous endothelin-A receptors elevate post-incisional pain, **133** 161

Nadstawek, J., see Conrad, R., **133** 197
Nurmikko, T.J., Serpell, M.G., Hoggart, B., Toomey, P.J., Morlion, B.J., Haines, D., Sativex successfully treats neuropathic pain characterised by allodynia: A randomised, double-blind, placebo-controlled clinical trial, **133** 210

Olausson, H., see Krämer, H.H., **133** 72

Page, A.J., Brierley, S.M., Martin, C.M., Hughes, P.A., Blackshaw, L. A., Acid sensing ion channels 2 and 3 are required for inhibition of visceral nociceptors by benzamil, **133** 150
Penberthy, L.T., see Citero, V.A., **133** 39
Peters, C.M., see Jimenez-Andrade, J.M., **133** 183
Pheby, T., see Wallace, V.C.J., **133** 47
Pillai Riddell, R.R., Stevens, B.J., Cohen, L.L., Flora, D.B., Greenberg, S., Predicting maternal and behavioral measures of infant pain: The relative contribution of maternal factors, **133** 138
Prkachin, K.M., The coming of age of pain expression, **133** 3

Reeve, A.J., see Martindale, J.C., **133** 79
Reilly, E.K., see Mujenda, F.H., **133** 161
Rice, A.S.C., see Wallace, V.C.J., **133** 47
Rodríguez de Fonseca, F., see Suardíaz, M., **133** 99
Roseff, S.D., see Citero, V.A., **133** 39

Scharmann, S., see Kunz, M., **133** 221
Schepelmann, K., see Kunz, M., **133** 221
Schilling, G., see Conrad, R., **133** 197
Schmidt, C.O., Baumeister, S.E., Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population, **133** 174
Segerdahl, A.R., see Wallace, V.C.J., **133** 47
Sellin-Peres, D., see Morello, R., **133** 87
Serpell, M.G., see Nurmikko, T.J., **133** 210
Siddall, P.J., see Vikman, K.S., **133** 18
Smith, W.R., see Citero, V.A., **133** 39
Srinivasan, R., see Wolfe, D., **133** 29
Stein, J.A., see Tsao, J.C.I., **133** 128
Stevens, B.J., see Pillai Riddell, R.R., **133** 138
Strichartz, G.R., see Mujenda, F.H., **133** 161
Suardíaz, M., Estivill-Torrús, G., Goicoechea, C., Bilbao, A., Rodríguez de Fonseca, F., Analgesic properties of oleoylethanolamide (OEA) in visceral and inflammatory pain, **133** 99
Sullivan, L.J., see Jimenez-Andrade, J.M., **133** 183

Toomey, P.J., see Nurmikko, T.J., **133** 210
Tsao, J.C.I., Stein, J.A., Dobalian, A., Pain, problem drug use history, and aberrant analgesic use behaviors in persons living with HIV, **133** 128

Vikman, K.S., Duggan, A.W., Siddall, P.J., Interferon-γ induced disruption of GABAergic inhibition in the spinal dorsal horn *in vivo*, **133** 18

Wallace, V.C.J., Blackbeard, J., Pheby, T., Segerdahl, A.R., Davies, M., Hasnie, F., Hall, S., McMahon, S.B., Rice, A.S.C., Pharmacological, behavioural and mechanistic analysis of HIV-1 gp120 induced painful neuropathy, **133** 47
Wartenberg, H.C., see Conrad, R., **133** 197
Wegener, I., see Conrad, R., **133** 197
Weisberg, J.N., Boatwright, B.A., Mood, anxiety and personality traits and states in chronic pain, **133** 1
Wilson, A.W., see Martindale, J.C., **133** 79
Wolfe, D., Hao, S., Hu, J., Srinivasan, R., Goss, J., Mata, M., Fink, D.J., Glorioso, J.C., Engineering an endomorphin-2 gene for use in neuropathic pain therapy, **133** 29

Pain 133 (2007) 231–233

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 133 (2007)

AIDS
Pain, problem drug use history, and aberrant analgesic use behaviors in persons living with HIV, **133**, 128
Allodynia
Sativex successfully treats neuropathic pain characterised by allodynia: A randomised, double-blind, placebo-controlled clinical trial, **133**, 210
ASIC channel
Acid sensing ion channels 2 and 3 are required for inhibition of visceral nociceptors by benzamil, **133**, 150
Attention
The context of a noxious stimulus affects the pain it evokes, **133**, 64
Body perception disturbance
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133**, 111
Bone
Nerve growth factor sequestering therapy attenuates non-malignant skeletal pain following fracture, **133**, 183
BQ-123
Cutaneous endothelin-A receptors elevate post-incisional pain, **133**, 161
Cannabinoid
Analgesic properties of oleoylethanolamide (OEA) in visceral and inflammatory pain, **133**, 99
Cannabinoid
Sativex successfully treats neuropathic pain characterised by allodynia: A randomised, double-blind, placebo-controlled clinical trial, **133**, 210
Cannabinoids
Pharmacological, behavioural and mechanistic analysis of HIV-1 gp120 induced painful neuropathy, **133**, 47
Catastrophizing
The role of catastrophizing in sickle cell disease – The PiSCES project, **133**, 39
Central mechanisms
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133**, 111
Central sensitisation
Chronic secondary hypersensitivity of dorsal horn neurones following inflammation of the knee joint, **133**, 79
Central sensitization
The role of reactive oxygen species in capsaicin-induced mechanical hyperalgesia and in the activities of dorsal horn neurons, **133**, 9
Chronic pain
Temperament and character personality profiles and personality disorders in chronic pain patients, **133**, 197
Chronic pain
The role of catastrophizing in sickle cell disease – The PiSCES project, **133**, 39
Cohort study
The role of catastrophizing in sickle cell disease – The PiSCES project, **133**, 39
Comorbidity
Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population, **133**, 174
Complex regional pain syndrome
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133**, 111
Cooperativeness
Temperament and character personality profiles and personality disorders in chronic pain patients, **133**, 197
Cross-modal interaction
The context of a noxious stimulus affects the pain it evokes, **133**, 64
CT fibres
Activation of the cortical pain network by soft tactile stimulation after injection of sumatriptan, **133**, 72
Cytokines
Interferon-γ induced disruption of GABAergic inhibition in the spinal dorsal horn *in vivo*, **133**, 18
Dementia
The facial expression of pain in patients with dementia, **133**, 221
Depression
The role of catastrophizing in sickle cell disease – The PiSCES project, **133**, 39
Disinhibition
Interferon-γ induced disruption of GABAergic inhibition in the spinal dorsal horn *in vivo*, **133**, 18
Dorsal horn
Chronic secondary hypersensitivity of dorsal horn neurones following inflammation of the knee joint, **133**, 79
Electrophysiology
Interferon-γ induced disruption of GABAergic inhibition in the spinal dorsal horn *in vivo*, **133**, 18
Endomorphin
Engineering an endomorphin-2 gene for use in neuropathic pain therapy, **133**, 29
Epidemiology
Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population, **133**, 174
ET-1
Cutaneous endothelin-A receptors elevate post-incisional pain, **133**, 161
ET_A
Cutaneous endothelin-A receptors elevate post-incisional pain, **133**, 161
Expectation
The context of a noxious stimulus affects the pain it evokes, **133**, 64

doi:10.1016/S0304-3959(07)00670-7

Experimental pain
Clinical and experimental pain perception is attenuated in patients with painless myocardial infarction, **133**, 120
Facial expression of pain
The facial expression of pain in patients with dementia, **133**, 221
fMRI
Activation of the cortical pain network by soft tactile stimulation after injection of sumatriptan, **133**, 72
Free radicals
The role of reactive oxygen species in capsaicin-induced mechanical hyperalgesia and in the activities of dorsal horn neurons, **133**, 9
Gabapentin
Pharmacological, behavioural and mechanistic analysis of HIV-1 gp120 induced painful neuropathy, **133**, 47
Gene transfer
Engineering an endomorphin-2 gene for use in neuropathic pain therapy, **133**, 29
Harm Avoidance
Temperament and character personality profiles and personality disorders in chronic pain patients, **133**, 197
HIV
Pain, problem drug use history, and aberrant analgesic use behaviors in persons living with HIV, **133**, 128
HIV-1
Pharmacological, behavioural and mechanistic analysis of HIV-1 gp120 induced painful neuropathy, **133**, 47
Hyperalgesia
Cutaneous endothelin-A receptors elevate post-incisional pain, **133**, 161
Immunization
Predicting maternal and behavioral measures of infant pain: The relative contribution of maternal factors, **133**, 138
Incision
Cutaneous endothelin-A receptors elevate post-incisional pain, **133**, 161
Infants
Predicting maternal and behavioral measures of infant pain: The relative contribution of maternal factors, **133**, 138
Inflammation
Analgesic properties of oleoylethanolamide (OEA) in visceral and inflammatory pain, **133**, 99
Inflammatory pain
The role of reactive oxygen species in capsaicin-induced mechanical hyperalgesia and in the activities of dorsal horn neurons, **133**, 9
In vivo electrophysiology
Chronic secondary hypersensitivity of dorsal horn neurones following inflammation of the knee joint, **133**, 79
Joint inflammation
Chronic secondary hypersensitivity of dorsal horn neurones following inflammation of the knee joint, **133**, 79
Knockout mice
Acid sensing ion channels 2 and 3 are required for inhibition of visceral nociceptors by benzamil, **133**, 150
Macrophages
Pharmacological, behavioural and mechanistic analysis of HIV-1 gp120 induced painful neuropathy, **133**, 47
Meaning
The context of a noxious stimulus affects the pain it evokes, **133**, 64
Mental body representation
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133**, 111
Mice
Analgesic properties of oleoylethanolamide (OEA) in visceral and inflammatory pain, **133**, 99
Microglia
Pharmacological, behavioural and mechanistic analysis of HIV-1 gp120 induced painful neuropathy, **133**, 47
Monoclonal antibody therapy
Nerve growth factor sequestering therapy attenuates non-malignant skeletal pain following fracture, **133**, 183
Mother
Predicting maternal and behavioral measures of infant pain: The relative contribution of maternal factors, **133**, 138
Multisite pain
Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population, **133**, 174
Myocardial ischemia
Clinical and experimental pain perception is attenuated in patients with painless myocardial infarction, **133**, 120
Neglect
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133**, 111
Neuropathic pain
Engineering an endomorphin-2 gene for use in neuropathic pain therapy, **133**, 29
Neuropathy
Pharmacological, behavioural and mechanistic analysis of HIV-1 gp120 induced painful neuropathy, **133**, 47
NMDA receptor
Analgesic properties of oleoylethanolamide (OEA) in visceral and inflammatory pain, **133**, 99
Nociception
Cutaneous endothelin-A receptors elevate post-incisional pain, **133**, 161
Nociception
Nerve growth factor sequestering therapy attenuates non-malignant skeletal pain following fracture, **133**, 183
Non-malignant skeletal pain
Nerve growth factor sequestering therapy attenuates non-malignant skeletal pain following fracture, **133**, 183
Non-verbal communication
The facial expression of pain in patients with dementia, **133**, 221
Non-verbally communicating
A scale to measure pain in non-verbally communicating older patients: The EPCA-2. Study of its psychometric properties, **133**, 87
Older
A scale to measure pain in non-verbally communicating older patients: The EPCA-2. Study of its psychometric properties, **133**, 87
Oleoylethanolamide
Analgesic properties of oleoylethanolamide (OEA) in visceral and inflammatory pain, **133**, 99
Opioids
Pain, problem drug use history, and aberrant analgesic use behaviors in persons living with HIV, **133**, 128
μ-opioid receptor
Engineering an endomorphin-2 gene for use in neuropathic pain therapy, **133**, 29
Pain
A scale to measure pain in non-verbally communicating older patients: The EPCA-2. Study of its psychometric properties, **133**, 87
Pain
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133**, 111
Pain
Pain, problem drug use history, and aberrant analgesic use behaviors in persons living with HIV, **133**, 128
Pain
Predicting maternal and behavioral measures of infant pain: The relative contribution of maternal factors, **133**, 138

Pain
The facial expression of pain in patients with dementia, **133**, 221
Pain catastrophizing
Clinical and experimental pain perception is attenuated in patients with painless myocardial infarction, **133**, 120
Pain matrix
Activation of the cortical pain network by soft tactile stimulation after injection of sumatriptan, **133**, 72
Pain, Nociception
Interferon-γ induced disruption of GABAergic inhibition in the spinal dorsal horn *in vivo*, **133**, 18
Painless myocardial infarction
Clinical and experimental pain perception is attenuated in patients with painless myocardial infarction, **133**, 120
Patient experience
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133**, 111
Periosteum
Nerve growth factor sequestering therapy attenuates non-malignant skeletal pain following fracture, **133**, 183
Peripheral neuropathic pain
Sativex successfully treats neuropathic pain characterised by allodynia: A randomised, double-blind, placebo-controlled clinical trial, **133**, 210
Personality disorder
Temperament and character personality profiles and personality disorders in chronic pain patients, **133**, 197
Physical functioning
Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population, **133**, 174
PPAR-alpha receptor
Analgesic properties of oleoylethanolamide (OEA) in visceral and inflammatory pain, **133**, 99
Problem drug use
Pain, problem drug use history, and aberrant analgesic use behaviors in persons living with HIV, **133**, 128
Psychometric properties
A scale to measure pain in non-verbally communicating older patients: The EPCA-2. Study of its psychometric properties, **133**, 87
Qualitative
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133**, 111
Quality of life
The role of catastrophizing in sickle cell disease – The PiSCES project, **133**, 39
Rat
Analgesic properties of oleoylethanolamide (OEA) in visceral and inflammatory pain, **133**, 99
Reflex sympathetic dystrophy
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS), **133**, 111
ROS
The role of reactive oxygen species in capsaicin-induced mechanical hyperalgesia and in the activities of dorsal horn neurons, **133**, 9
Sativex
Sativex successfully treats neuropathic pain characterised by allodynia: A randomised, double-blind, placebo-controlled clinical trial, **133**, 210
Scale
A scale to measure pain in non-verbally communicating older patients: The EPCA-2. Study of its psychometric properties, **133**, 87
Secondary hypersensitivity
Chronic secondary hypersensitivity of dorsal horn neurones following inflammation of the knee joint, **133**, 79
Self-Directedness
Temperament and character personality profiles and personality disorders in chronic pain patients, **133**, 197
Sickle cell disease
The role of catastrophizing in sickle cell disease – The PiSCES project, **133**, 39
Social functioning
Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population, **133**, 174
Soft tactile stimulation
Activation of the cortical pain network by soft tactile stimulation after injection of sumatriptan, **133**, 72
Spatial pain patterns
Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population, **133**, 174
Spinal cord
Interferon-γ induced disruption of GABAergic inhibition in the spinal dorsal horn *in vivo*, **133**, 18
Splanchnic nerves
Acid sensing ion channels 2 and 3 are required for inhibition of visceral nociceptors by benzamil, **133**, 150
Substance abuse
Pain, problem drug use history, and aberrant analgesic use behaviors in persons living with HIV, **133**, 128
Sumatriptan
Activation of the cortical pain network by soft tactile stimulation after injection of sumatriptan, **133**, 72
Tactile allodynia
Cutaneous endothelin-A receptors elevate post-incisional pain, **133**, 161
Temperament and Character Inventory
Temperament and character personality profiles and personality disorders in chronic pain patients, **133**, 197
Vagus nerves
Acid sensing ion channels 2 and 3 are required for inhibition of visceral nociceptors by benzamil, **133**, 150
Viral vector
Engineering an endomorphin-2 gene for use in neuropathic pain therapy, **133**, 29
Visceral afferents
Acid sensing ion channels 2 and 3 are required for inhibition of visceral nociceptors by benzamil, **133**, 150
Widespread pain
Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population, **133**, 174

Pain 133 (2007) 234–235

PAIN

www.elsevier.com/locate/pain

Contents to Volume 133 (2007)

Numbers 1–3 – 15 December 2007

EDITORIAL

Mood, anxiety and personality traits and states in chronic pain
J.N. Weisberg, B.A. Boatwright (USA) 1
The coming of age of pain expression
K.M. Prkachin (Canada) 3

TOPICAL REVIEW

Pain from torture
A.C. de C. Williams, K. Amris (UK, Denmark) 5

RESEARCH PAPERS

The role of reactive oxygen species in capsaicin-induced mechanical hyperalgesia and in the activities of dorsal horn neurons
I. Lee, H.K. Kim, J.H. Kim, K. Chung, J.M. Chung (USA) 9
Interferon-γ induced disruption of GABAergic inhibition in the spinal dorsal horn *in vivo*
K.S. Vikman, A.W. Duggan, P.J. Siddall (Australia) 18
Engineering an endomorphin-2 gene for use in neuropathic pain therapy
D. Wolfe, S. Hao, J. Hu, R. Srinivasan, J. Goss, M. Mata, D.J. Fink, J.C. Glorioso (USA) 29
The role of catastrophizing in sickle cell disease – The PiSCES project
V.A. Citero, J.L. Levenson, D.K. McClish, V.E. Bovbjerg, P.L. Cole, B.A. Dahman, L.T. Penberthy, I.P. Aisiku, S.D. Roseff, W.R. Smith (USA, Brazil) 39
Pharmacological, behavioural and mechanistic analysis of HIV-1 gp120 induced painful neuropathy
V.C.J. Wallace, J. Blackbeard, T. Pheby, A.R. Segerdahl, M. Davies, F. Hasnie, S. Hall, S.B. McMahon, A.S.C. Rice (UK) 47
The context of a noxious stimulus affects the pain it evokes
G. L. Moseley, A. Arntz (UK, The Netherlands) 64
Activation of the cortical pain network by soft tactile stimulation after injection of sumatriptan
H.H. Krämer, L. Lundblad, F. Birklein, M. Linde, T. Karlsson, M. Elam, H. Olausson (Germany, Sweden) 72
Chronic secondary hypersensitivity of dorsal horn neurones following inflammation of the knee joint
J.C. Martindale, A.W. Wilson, A.J. Reeve, I.P. Chessell, P.M. Headley (UK) 79
A scale to measure pain in non-verbally communicating older patients: The EPCA-2. Study of its psychometric properties
R. Morello, A. Jean, M. Alix, D. Sellin-Peres, J. Fermanian (France) 87
Analgesic properties of oleoylethanolamide (OEA) in visceral and inflammatory pain
M. Suardíaz, G. Estivill-Torrús, C. Goicoechea, A. Bilbao, F. Rodríguez de Fonseca (Spain) 99
Body perception disturbance: A contribution to pain in complex regional pain syndrome (CRPS)
J.S. Lewis, P. Kersten, C.S. McCabe, K.M. McPherson, D.R. Blake (UK, New Zealand) 111
Clinical and experimental pain perception is attenuated in patients with painless myocardial infarction
M. Granot, R. Khoury, G. Berger, N. Krivoy, E. Braun, D. Aronson, Z.S. Azzam (Israel) 120
Pain, problem drug use history, and aberrant analgesic use behaviors in persons living with HIV
J.C.I. Tsao, J.A. Stein, A. Dobalian (USA) 128
Predicting maternal and behavioral measures of infant pain: The relative contribution of maternal factors
R.R. Pillai Riddell, B.J. Stevens, L.L. Cohen, D.B. Flora, S. Greenberg (Canada, USA) 138
Acid sensing ion channels 2 and 3 are required for inhibition of visceral nociceptors by benzamil
A.J. Page, S.M. Brierley, C.M. Martin, P.A. Hughes, L. A. Blackshaw (Australia) 150
Cutaneous endothelin-A receptors elevate post-incisional pain
F.H. Mujenda, A.M. Duarte, E.K. Reilly, G.R. Strichartz (USA) 161

doi:10.1016/S0304-3959(07)00671-9

Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population
C.O. Schmidt, S.E. Baumeister (Germany) 174
Nerve growth factor sequestering therapy attenuates non-malignant skeletal pain following fracture
J.M. Jimenez-Andrade, C.D. Martin, N.J. Koewler, K.T. Freeman, L.J. Sullivan, K.G. Halvorson, C.M. Barthold, C.M. Peters, R.J. Buus, J.R. Ghilardi, J.L. Lewis, M.A. Kuskowski, P.W. Mantyh (USA) 183
Temperament and character personality profiles and personality disorders in chronic pain patients
R. Conrad, G. Schilling, C. Bausch, J. Nadstawek, H.C. Wartenberg, I. Wegener, F. Geiser, K. Imbierowicz, R. Liedtke (Germany) 197
Sativex successfully treats neuropathic pain characterised by allodynia: A randomised, double-blind, placebo-controlled clinical trial
T.J. Nurmikko, M.G. Serpell, B. Hoggart, P.J. Toomey, B.J. Morlion, D. Haines (UK, Belgium) 210
The facial expression of pain in patients with dementia
M. Kunz, S. Scharmann, U. Hemmeter, K. Schepelmann, S. Lautenbacher (Germany) 221

Author Index to Volume 133 229
Subject Index to Volume 133 231
Contents to Volume 133 234
Thanks to Reviewers 236